

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	48	((arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or field or lin\$2) same(("EOB" or "BOB") or (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or field or lin\$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:20
L3	2	2 same (NUM or MPS or LPS or ALPS) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:08
L4	6581	382/232,244,247,240,238,245, 246;358/426.13;341/107,50,51,67, 59;702/181.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:20
L5	22	4 and ((arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or field or lin\$2) same(("EOB" or "BOB") or (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or field or lin\$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:32
L6	27	kondo-tsuyoshi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:32
S1	10	arithmetic near5(cod\$3 or function)same specific near3 data same register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:22
S2	433	arithmetic near5(cod\$3 or function)same add\$5 near3 data and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:37
S3	274	arithmetic near5(cod\$3 or function)same add\$5 near3 data same(register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:32

S4	76150	(arithmetic near5(cod\$3 or function)same add\$5 near3 data same(register\$2 or predic\$4 adj1 tabl\$2)) and post\$2 or trailer\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:27
S5	130	(arithmetic near5(cod\$3 or function)same add\$5 near3 data same(register\$2 or predic\$4 adj1 tabl\$2)) and (post\$2 or trailer\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:28
S6	39	((arithmetic near5(cod\$3 or function)same add\$5 near3 data same(register\$2 or predic\$4 adj1 tabl\$2)) and (post\$2 or trailer\$2)) and header\$3 or prifix\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:29
S7	38	((arithmetic near5(cod\$3 or function)same add\$5 near3 data same(register\$2 or predic\$4 adj1 tabl\$2)) and (post\$2 or trailer\$2)) and (header\$3 or prifix\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:29
S8	593	(arithmetic near5(cod\$3 or function))same (imag\$3 near3 cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:33
S9	0	(arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)same (add\$5 near5 data) near7 (memor\$4 or storag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:36
S10	52	(arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)and (add\$5 near5 data) same (memor\$4 or storag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 16:21
S11	27	((arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)and (add\$5 near5 data) same (memor\$4 or storag)) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:58
S12	3	((arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)and (add\$5 near5 data) same (memor\$4 or storag)) and (register\$2 or predic\$4 adj1 tabl\$2)) and referenc\$2 near3 pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:38

S13	5	((arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)and (add\$5 near5 data) same (memor\$4 or storag)) and (register\$2 or predic\$4 adj1 tabl\$2)) and (referenc\$2 near3(pixel\$2 or valu\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:39
S14	17	(arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)and (addi\$4 near5 data) same (memor\$4 or storag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 15:57
S15	13	((arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)and (addi\$4 near5 data) same (memor\$4 or storag)) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 17:00
S16	16	(arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)same (NUM or MPS or LPS or ALPS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 16:33
S17	12	((arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)same (NUM or MPS or LPS or ALPS)) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 16:50
S18	0	((arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)same (NUM or MPS or LPS or ALPS)) and (register\$2 or predic\$4 adj1 tabl\$2)) and (addi\$4 near5 data) same (memor\$4 or storag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 16:09
S19	3	((arithmetic near5(cod\$3 or function))near15 (imag\$3 near3 cod\$3)same (NUM or MPS or LPS or ALPS)) and (register\$2 or predic\$4 adj1 tabl\$2)) and (addi\$4 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 12:00
S20	72	(arithmetic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 17:04
S21	48	((arithmetic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 16:32

S22	6	((arithmic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)) and (register\$2 or predic\$4 adj1 tabl\$2)) and (NUM or MPS or LPS or ALPS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 17:05
S23	4730	382/247,244,232,243,248,238, 239;712/221;345/643;377/49;708/4 90,306;714/722.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/08 17:03
S24	29	382/247,244,232,243,248,238, 239;712/221;345/643;377/49;708/4 90,306;714/722.ccls. and(arithmetic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 09:25
S25	8	(382/247,244,232,243,248,238, 239;712/221;345/643;377/49;708/4 90,306;714/722.ccls. and(arithmetic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)) and (NUM or MPS or LPS or ALPS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 09:04
S26	8	(382/247,244,232,243,248,238, 239;712/221;345/643;377/49;708/4 90,306;714/722.ccls. and(arithmetic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)) and (NUM or MPS or LPS or ALPS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 11:34
S27	1	((382/247,244,232,243,248,238, 239;712/221;345/643;377/49;708/4 90,306;714/722.ccls. and(arithmetic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)) and (NUM or MPS or LPS or ALPS)) and addition near7 header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 09:15

S28	0	((((382/247,244,232,243,248,238,239;712/221;345/643;377/49;708/490,306;714/722.ccls. and(arithmetic near5(cod\$3 or function))near7 imag\$3 and data near5(add\$3 or insert\$4 or combin\$3 or join\$3) same (memor\$4 or storag)) and (NUM or MPS or LPS or ALPS)) and addition near7 header) and end near5 block\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 09:16
S29	10	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2) and (data near3(add\$3 or insert\$4 or combin\$3 or join\$3)) same (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:01
S30	13	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2) and (data near3(add\$3 or insert\$4 or combin\$3 or join\$3 or append\$4 or to near3 add)) same (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:24
S31	13	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2) and (data near3(add\$3 or insert\$4 or combin\$3 or join\$3 or append\$4 or to near3 add\$3)) same (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:26
S32	13	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2) and ((data or tag\$4 or modif\$4) near3(add\$3 or insert\$4 or combin\$3 or join\$3 or append\$4 or to near3 add\$3)) same (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:30

S33	13	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2) and ((data or tag\$4 or modif\$4) near3(add\$3 or insert\$4 or combin\$3 or join\$3 or append\$4 or to near3 add\$3 or syntax\$2)) same (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 10:41
S34	1	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2) and ((tag\$4 or modif\$4) near3(tag\$4 or syntax\$2)) same (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or encoder or "encder's"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 11:51
S35	8537	382/247,244,232,243,248,238,239;712/221;345/643;377/49;708/490,306;714/722;341/51;358/426.02-426.09,426.1,426.11;370/465;700/28,173,250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 11:50
S36	45	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or field or lin\$2) and (tag\$4 or modif\$4 or append\$4 or add\$3 or pad\$4) near7 (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or field or lin\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:01
S37	13	((arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or field or lin\$2) and (tag\$4 or modif\$4 or append\$4 or add\$3 or pad\$4) near7 (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or field or lin\$2))) and (NUM or MPS or LPS or ALPS) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:05

S38	51	(arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or field or lin\$2) and (tag\$4 or modif\$4 or append\$4 or add\$3 or pad\$4) near7 (("EOB" or "BOB") or (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or field or lin\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/09 13:05
S39	16	((arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or field or lin\$2) and (tag\$4 or modif\$4 or append\$4 or add\$3 or pad\$4) near7 (("EOB" or "BOB") or (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or field or lin\$2)))) and (NUM or MPS or LPS or ALPS) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 17:00
S40	17	((arithmetic near5(cod\$3 or function))near7 (imag\$3 or block\$2 or fram\$2 or fil\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or field or lin\$2) and (tag\$4 or modif\$4 or append\$4 or add\$3 or pad\$4) near7 (("EOB" or "BOB") or (end near3(block\$2 or fram\$2 or fil\$2 or imag\$2 or stream\$2 or bit-stream\$2 or bitstream\$2 or cod\$3 near3 stream\$2 or field or lin\$2)))) and (NUM or MPS or LPS or ALPS) and (register\$2 or predic\$4 adj1 tabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 10:08